



Woodworking Machinery
Metalworking Machinery
Air Compressors & More

Table of Contents

- History
- Organization
- Customer Base
- Operations
- *Go GENERAL!*

Who We Are

General International Power Products is an Innovator & manufacturer of woodworking, metalworking, & air power equipment solutions engineered to increase performance in the home & workplace. Our long history combined with an endless dedication to quality, safety, and service are the industry leading qualities that transform General International prospects into lifetime customers.

“The long term growth and success of General International lies in our vertically integrated, low cost, innovative manufacturing capabilities combined with an ability to quickly respond to you and your customer’s dynamic needs”.

Craig Valentine, President - General International Power Products USA

Our History

In 1946, following the end of World War II, General established several manufacturing facilities in Montreal Canada to produce high quality Commercial/Industrial woodworking & metalworking machinery. During the past 70 years, the General name grew to represent several generations of technical, high precision equipment. In 2003 General acquired the “Excalibur” brand of scroll saws and woodworking accessories. The 2014 acquisition of General by one of the largest Global manufacturers of woodworking machinery, metalworking machinery & air compressors created the perfect combination of North America market expertise and large scale manufacturing capabilities.

General International Today

Today, General International’s branded “**Green Line**” of Industrial Products is considered to be the gold standard of woodworking and metalworking machinery. With the recent addition of the new “**Red Line**” of G.I. branded woodworking machinery, metalworking machinery & air compressors, General’s customer base has expanded from a wide range of metalworking & woodworking businesses to include contractors and homeowners. The “red line” of G.I. branded products is sold exclusively through General International Power Products U.S. headquarters and Master Distribution Facilities based near Toledo Ohio, & through the Canadian Distribution and office facility in Vancouver British Columbia.

Since it’s inception, General International remains a privately-owned business committed to delivering innovative products, solutions, and domestic services that exceed customer expectations.

Our Organization - Executive Leadership

90+ years of combined Industry Experience In North America

Craig Valentine: President G.I. Power Products USA

During the past 30 years, Craig has served as President of 2 U.S. tool and equipment companies. Prior to his position as President of General International and Clarke Power Products, Craig held positions as International Sales Manager at Campbell Hausfeld and Champion Spark Plug Co. For the past 15+ years, he has worked with General International's manufacturing and engineering groups to develop world class products for North America. Subsequently, the combination of Craig's broad U.S. and Global manufacturing experience is helping General to establish healthy business growth.

Patrick Perry: Managing Director G.I. Power Products Canada

Patrick has served in various roles in the tool and equipment business during the past 30 years. His knowledge base in the world of consumer and Industrial tools, machinery, fasteners, lighting, and maintenance supplies has been invaluable to General International's growth. Mr. Perry has been an integral part of General's strategic business development in Canada. He has extensive experience in overseas manufacturing and private label customization of various power tool platforms.

John Brown : VP Sales & Marketing G.I. Power Products USA

John has an extensive background in New Business Development and Marketing Communications including retail merchandising, advertising, digital assets, web strategy, and next generation retail programs. In addition to his North America sales and marketing experience, John's previous engineering & new product development responsibilities with 2 large International tool & equipment manufacturers generated multiple patent awards across numerous power tool and equipment categories. Mr. Brown's portfolio also includes 30+ years of cumulative brand development & International sales responsibilities.

Our Organization – General International

Power Products - North America

Whitehouse OH, Vancouver B.C.

The G.I. Power Products North America facilities in the U.S. and Canada are home to our Executive team, Administrative support group, Purchasing, Customer Service, Sales, Marketing, Accounting, Distribution and Operations personnel.

Customer Service QR (Quick Response) Department: Unlike most competitors, we manage all customer service related inquiries from end-users and dealers to retail store personnel from our U.S. corporate headquarters. Our goal is to quickly and efficiently provide clear and concise information critical to maximizing sales and generating solutions. Our highly trained customer service representatives are empowered to solve customer concerns.

Marketing Communications: Our vertically integrated in-house creative department produces customized merchandising, advertising, and market leading online programs. General's packaging, pre-purchase decision signage and retail displays are designed to drive Sales & margins.

Accounting & Purchasing: Our skilled purchasing staff insure that material costs always remain globally competitive. All North America A/R & A/P functions are managed at the G.I. North America Headquarters.

Global Sales Team: The General Sales network provides personal localized field sales expertise domestically and internationally.

Our Customers & OEM Brands

The **General International brand** is known throughout North America for the “**Green Line**” of Industrial wood & metal working machinery sold through multiple channels including major channels including major commercial, industrial & specialty distributors. www.General.ca



ATLAS

Sears
CANADA **ACME TOOLS**

ROCKLER
WOODWORKING AND HARDWARE
Create with Confidence™

THE HOME DEPOT

KMS Tools and Equipment

COASTAL TOOL.com

WOODCRAFT

Home Hardware

As a large manufacturer of woodworking & metalworking machinery, General International also designs & produces products for the following global brands.



BOSCH

metabo

JET
EQUIPMENT & TOOLS

SKIL

RYOBI *MasterCraft*

Beginning in 2015, the new expanded range of “red line” General International Power Products is available the U.S. & Canada.



Our success is also due in part to 90+ years of cumulative Executive leadership experience combined with the benefits of private ownership.

Operations

U.S. & Canada Master Distribution Facilities



Domestic Direct Drop Ship Fulfillment: Our new state-of-the-art high capacity distribution facility is equipped to efficiently and quickly expedite low piece count or individual product drop shipments directly to your customer or retail stores.



Direct Import & Cross Docking Deployment: General can satisfy even the most complex, lowest cost basis fulfillment needs. We mix products on pallets, trucks, or containers. Direct Import shipments from our factories can be expedited on a mixed container basis fob factory, cross docked through our U.S. distribution facility, or shipped direct-duty prepaid to your Regional Distribution Centers.

Parts & Service :

General's dedicated parts warehouse and service department is capable of satisfying all customer parts and service requirements.

Operations

Asia Manufacturing & Office Facilities

Wholly Owned



WORLDWIDE HEADQUARTERS
QINGDAO CHINA



QINGDAO, CHINA



HO CHI MINH CITY, VIETNAM

General International Power Product's wholly owned Asia manufacturing and North America distribution facilities span over 6.7 million square feet. Manufacturing offices and operations facilities are located in Qingdao China and Ho Chi Minh City Vietnam. Our manufacturing facilities produce woodworking & metalworking machinery, air compressors, power tools, and hand trucks. We currently employ over 10,000 G.I. team members. A large scale packing facility is also available for mixed containerization, kit assemblies, and other customization services.



Why General International..





- **Service:** Customer experience is something we take seriously. With over 6.7 million square feet of manufacturing and distribution space, General International consistently delivers reliable fulfillment with an investment in inventory consisting of millions of dollars in products & replacement parts to better serve our customers. Our U.S. and Canadian based service teams consists of highly skilled professionals with extensive technical expertise in the products and services we provide.
- **Domestic Drop Shipment Programs to retails store locations & consumers:** We offer individual direct drop shipment programs that drive incremental sales and margins through ecommerce or in-store special order programs. General's ecommerce online product database includes key product images, SEO content, features & attributes plus "romance copy" that speaks to the end consumer for fast easy data asset uploads that drive sales.
- **Global Logistics Programs:** With over 70 years of experience, General International is one of the few U.S. based companies that can deliver customized factory direct import and domestic programs designed to meet or exceed your individual business needs. Our programs include mixed & direct container capabilities, domestic cross-docking, and domestic warehousing. As a full service provider, we offer consolidation services in Asia as well.
- **Factory Direct from GI Manufacturing Facilities:** We *customize products for you and your customers in our wholly owned factories* that minimize cost, maximize value, and generate proven bottom line results. Our 70+ years of innovative product development, manufacturing process improvement, quality control, certification testing, and packaging design deliver results that meet or exceed expectations.
- **Engineering Solutions:** Our engineering excellence separates us from other suppliers.



2015 Products



6 Gallon Air Compressor

-  6 Gallon tank (24 liter)
-  Powerful 1.5 HP motor
-  No load speed: 3400 RPM
-  Oil lubricated

- Tough powder coated tank
- Direct drive
- Durable oil lubricated single cylinder pump for long life – triple the pump life of comparable air compressors
- Extremely quiet operation
- Handle and wheels for easy transport
- Includes air line regulators and quick-connect fitting
- 2 Easy-to-read gauges for controlled air pressure
- 120 V ~ 60 Hz
- Maximum pressure: 115 psi
- Air delivery:
3.8 cfm @ 40 psi
2.8 cfm @ 90 psi
- CSA certified



- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1102 6 Gallon Air Compressor	857647005154	Gross: 50 lb. Net: 46 lb.	22.5" x 10.5" x 24" 575 x 270 x 605 mm	3.32 cu. ft	240 pc / 20 ft 480 pc / 40 ft 640 pc / 40 ft High Cube



4 Gallon Air Compressor



4 Gallon tank (16 liter)



Powerful
1.5 HP motor



No load speed: 3400 RPM



Oil lubricated

- Tough powder coated tank
- Direct drive
- Durable oil lubricated single cylinder pump for long life – triple the pump life of comparable air compressors
- Extremely quiet operation
- Rubber hand grip
- Includes air line regulators and quick-connect fitting
- 2 Easy-to-read gauges for controlled air pressure
- 120 V ~ 60 Hz
- Maximum pressure: 115 psi
- Air delivery:
3.8 cfm @ 40 psi
2.8 cfm @ 90 psi
- CSA certified
- Color packaging with dual languages (English & French)







Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1103 4 Gallon Air Compressor	857647005024	Gross: 47.5 lb. Net: 43 lb.	16" x 16" x 22.5" 405 x 405 x 570 mm	3.3 cu. ft	280 pc / 20 ft 560 pc / 40 ft 560 pc / 40 ft High Cube

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



11 Gallon Air Compressor

-  11 Gallon tank (42 liter)
-  Powerful
2 HP motor
-  No load speed: 3400 RPM
-  Oil lubricated





- Tough powder coated tank
- Direct drive
- Durable oil lubricated single cylinder pump for long life – triple the pump life of comparable air compressors
- Extremely quiet operation
- Rubber hand grip and wheels for easy transport
- Includes air line regulators and quick-connect fitting
- 2 Easy-to-read gauges for controlled air pressure
- 120 V ~ 60 Hz
- Maximum pressure: 115 psi
- Air delivery: 6 cfm @ 40 psi
4.8 cfm @ 90 psi
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1104 11 Gallon Air Compressor	857647005147	Gross: 71 lb. Net: 62 lb.	18" x 18" x 31.5" 455 x 455 x 795 mm	5.8 cu. ft	120 pc / 20 ft 250 pc / 40 ft 375 pc / 40 ft High Cube



4 Gallon Twin Stack Air Compressor

-  4 Gallon twin stack tanks (16 liters)
-  Powerful 1.5 HP motor
-  No load speed: 3400 RPM
-  Oil lubricated

- Tough powder coated tank
- Direct drive
- Durable oil lubricated single cylinder pump for long life – triple the pump life of comparable air compressors
- Extremely quiet operation
- Rubber hand grip
- Includes air line regulators and quick-connect fitting
- 2 Easy-to-read gauges for controlled air pressure
- 120 V ~ 60 Hz
- Maximum pressure: 115 psi
- Air delivery: 3.8 cfm @ 40 psi
2.8 cfm @ 90 psi
- CSA certified







- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1105 4 Gallon Twin Stack Air Compressor	857647005130	Gross: 47 lb. Net: 43 lb.	17" x 17" x 19" 430 x 430 x 480 mm	3.13 cu. ft	260 pc / 20 ft 520 pc / 40 ft 650 pc / 40 ft High Cube



2 Gallon Air Compressor

-  2 Gallon tank (8 liter)
-  Powerful
1 HP motor
-  No load speed: 3400 RPM
-  Oil lubricated

- Tough powder coated tank
- Direct drive
- Durable oil lubricated single cylinder pump for long life – triple the pump life of comparable air compressors
- Extremely quiet operation
- Easy grip carry handle
- Includes air line regulators and quick-connect fitting
- 2 Easy-to-read gauges for controlled air pressure
- 120 V ~ 60 Hz
- Maximum pressure: 115 psi
- Air delivery:
3.1 cfm @ 40 psi
2.1 cfm @ 90 psi
- CSA certified






- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1106 2 Gallon Air Compressor	857647005017	Gross: 35 lb. Net: 33 lb.	20.5" x 9.5" x 18.5" 515 x 240 x 465 mm	2.03 cu. ft	404 pc / 20 ft 808 pc / 40 ft 1010 pc / 40 ft High Cube



6 Gallon Oil-Free Air Compressor

-  6 Gallon tank (24 liter)
-  Powerful 1.5 HP motor
-  No load speed: 3400 RPM
-  Oil-free maintenance

- Tough powder coated tank
- Direct drive oil-free single cylinder pump
- Handle and wheels for easy transport
- Includes air line regulators and quick-connect fitting
- 2 Easy-to-read gauges for controlled air pressure
- 120 V ~ 60 Hz
- Maximum pressure: 115 psi
- Air delivery:
3.5 cfm @ 40 psi
2.1 cfm @ 90 psi
- CSA certified



- Color packaging with dual languages (English & French)







Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1203 6 Gallon Oil-Free Air Compressor	857647005161	Gross: 46 lb. Net: 43 lb.	22.7" x 10.7" x 24" 575 x 270 x 605 mm	3.32 cu. ft	252 pc / 20 ft 504 pc / 40 ft 672 pc / 40 ft High Cube



3 Gallon Oil-Free Air Compressor



-  3 Gallon tank (11 liter)
-  Powerful
1/3 HP motor
-  No load speed: 3700 RPM
-  Oil-free maintenance

- Tough powder coated tank
- Direct drive oil-free single cylinder pump
- Compact design
- Includes air line regulators and quick-connect fitting
- 2 Easy-to-read gauges for controlled air pressure
 - 120 V ~ 60 Hz
 - Maximum pressure: 100 psi
 - Air delivery:
0.6 cfm @ 40 psi
0.5 cfm @ 90 psi
 - CSA certified
 - Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1200 3 Gallon Oil-Free Air Compressor	857647005000	Gross: 22 lb. Net: 19 lb.	17.7" x 9" x 17.7" 450 x 225 x 450 mm	1.61 cu. ft	600 pc / 20 ft 1250 pc / 40 ft 1375 pc / 40 ft High Cube



2 gal. | Twin Stack Air Compressor

AC1212

with Retractable Hose Reel



2 gallon (7.5 litre) twin stack tanks



1/3 HP motor



Oil Free = low maintenance



- Motor: Universal
- Power specs: 1 CFM @ 40 psi / 0.5 CFM @ 90 psi
- Running HP: 0.33 HP
- Max. psi: 85-115
- Max. hose-burst pressure: 250 psi
- Tank size: 2 gal. (7.6 L)
- Hose length: 25'
- Certification: ETL/UL/CSA/TUV
- Includes 1 Female "Quick Connect" on hose
- Sound level: <78 dB
- Frame:
1" / 25 mm O.D. tubing
- FOB Qingdao
- 40 ft. container qty: 990 (40' HC)
- Packaging dimensions:
452 mm x 340 mm x 378 mm
(17.8" x 13.4" x 14.9")
- 200+ hours (Terminated testing @ 200+ hours- no failures)
- Duty cycle: 50/50
- Warranty, spare parts, toll free service in Ohio

Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
AC1212 2 gal. Twin Stack Air Compressor	857647005475	27#	18" x 13" x 15" 452 x 340 x 378 mm	2.05 cu. ft	990 pc / 40 ft High Cube

General International Power Products Ltd.

Tel: (604) 420-2299 • Fax: (888) 445-2069 • www.gipowerproducts.com



Belt/Disc Sander



4 x 36 Inch belt
(102 x 914 mm)



6 Inch disc
(152 mm)



Belt bed adjusts 0-90° /
Table adjusts 0-45°



Horizontal / vertical
operation

- 0 to 45° tilting aluminum work table can be angled for miter polishing




- Belt sander tilts to work both horizontally and vertically, grinding and polishing flat and cambered surfaces
- Strong cast iron base, steel belt bed & aluminum disc backing plate
- Quick release system for easy belt change
- Belt is easily adjusted with tracking knob
- L-shaped steel work stop
- 2-1/4" I.D. dust port
- Safety on/off switch with removable key
- 6-1/4" x 8-7/8" Aluminum work table
- No load speed: 3450 RPM
- 120 V ~ 60 Hz, 4 Amp motor
- ETL certified
- Includes:
 - Miter gauge
 - 6" Peel & stick sanding disc
 - 4" x 36" Sanding belt
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BD7004 Belt / Disc Sander	857647005086	Gross: 40 lb. Net: 37.5 lb.	22" x 10" x 12" 560 x 260 x 300 mm	1.54 cu. ft	560 pc / 20 ft 1120 pc / 40 ft 1408 pc / 40 ft High Cube



Variable Speed Scroll Saw

 16" Throat depth (406 mm)

 Cuts wood up to 2" thick (50 mm)




 Adjustable LED work light

 Table tilts 0-45°

 Dust blower keeps table clean

- Cutting speed is easily set with precision dial on front of housing
- Flex-neck LED work light
- Saw dust collection port for standard 1-1/4" hose (31.75 mm)
- Strong cast iron base
- Cast aluminum work table with locking knob and bevel scale
- Low noise, low vibration
- Patented blade holder accepts standard 5" (127 mm) pin-end or plain-end (pinless) scroll saw blades
- Side storage compartment for spare blades and wrenches
- Top-mounted tensioner knob
- Easy-access motor brushes
- Safety on/off switch with removable security key
- Stroke: 5/8" (15 mm)
- 1.2 Amp motor
- 120 V ~ 60 Hz
- Variable speed: 400-1600 RPM
- CSA certified
- Color packaging with dual languages (English & French)







Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8007 Variable Speed Scroll Saw	857647005093	Gross: 26.5 lb. Net: 24 lb.	26" x 13" x 14" 670 x 330 x 365 mm	2.85 cu. ft	354 pc / 20 ft 714 pc / 40 ft 854 pc / 40 ft High Cube



9" | Band Saw



-  Powerful 2.5 Amp induction motor
-  Cast aluminum work table
-  Maximum cut thickness: 3.5 inch (89 mm)
-  Quick and easy blade change

- Designed for wood cutting
- Flexible LED work light
- Removable safety on/off switch
- Induction motor
- Cast aluminum frame, plastic access door
- Includes rip fence and miter gauge
- Table size: 11-7/8" square (300 mm)
 - Table tilts 0° - 45°
 - Blade length: 59-1/2" (1511 mm)
- 9" Throat (229 mm)
- No load speed: 2625 ft/min (800 m/min)
- 120 V ~ 60 Hz
- 230 Watt motor
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BS5105 9 Inch Band Saw	857647005055	Gross: 35 lb. Net: 30 lb.	16.5" x 11" x 31" 415 x 285 x 790 mm	3.3 cu. ft	299 pc / 20 ft 643 pc / 40 ft 688 pc / 40 ft High Cube



10" | Sliding Miter Saw



-  Sliding blade for extended reach
-  Bevels at 0-45° for compound angles
-  Precision cuts with laser alignment system
-  Cuts wood, plastic and aluminum (with correct blade)
-  Powerful 15 Amp motor
-  Maximum cut capacities:
 - Cross cut at 90°
= 3" x 12" (80 x 300 mm)
 - Miter cut at 45°
= 3" x 8" (80 x 200 mm)
 - Miter & bevel compound cut at 45° = 1.5" x 8"
(40 x 200 mm)
- Comfortable "D" handle also helps with transporting
- Handy measurement scale embossed in rear fence
 - 120 V ~ 60 Hz
 - No-load speed: 4400 RPM
 - ETL certified
- Includes:
 - 10" Saw blade with carbide-tipped teeth
 - Hold down clamp
 - Table side extension bars






- Color packaging with dual languages (English & French)

Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
MS3005 10 Inch Compound Sliding Miter Saw	857647005079	Gross: 34 lb. Net: 29 lb.	30" x 19" x 16" 760 x 490 x 410 mm	5.39 cu. ft	170 pc / 20 ft 360 pc / 40 ft 432 pc / 40 ft High Cube



10" | Compound Miter Saw



-  Bevels at 0-45° for compound angles
-  Precision cuts with laser alignment system
-  Cuts wood, plastic and aluminum (with correct blade)
-  Powerful 15 Amp motor
-  Maximum cut capacity: 5.25" x 3" (135 x 75 mm)

- Comfortable "D" handle also helps with transporting
- Handy measurement scale embossed in rear fence
- 120 V ~ 60 Hz
- 4400 RPM
- ETL certified
- Includes:
 - 10" Saw blade with carbide-tipped teeth
 - Hold down clamp
 - Table side extension bars
- Color packaging with dual languages (English & French)







Works great with the MS3102 Miter Saw Stand!



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
MS3003 10 Inch Compound Miter Saw	857647005062	Gross: 29 lb. Net: 24 lb.	22" x 16.5" x 16" 560 x 420 x 410 mm	3.41 cu. ft	270 pc / 20 ft 560 pc / 40 ft 672 pc / 40 ft High Cube



10" | Table Saw

-  Cast aluminum work table
-  Powerful 13A motor
-  5700 RPM
-  Tilting range: 0° to 45° left
-  Maximum cutting height at 90°: 2-7/8 in. (73 mm)
-  Sturdy steel stand included

- Work table size: 26" x 17.5"
- Maximum cutting height at 45°: 2-5/8 in. (65 mm)
- Table height on stand: 35-3/8" (900 mm)
- 120 V ~ 60 Hz
- ETL certified
- Includes:
 - 10" 24 tooth TCT saw blade
 - Rip fence
 - Miter gauge
 - Push stick
 - Metal stand
 - Blade guard
 - Riving knife
 - Anti-kickback pawls
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
TS4001 10 Inch Table Saw	857647005048	Gross: 51 lb. Net: 44 lb.	27.5" x 22" x 14.5" 700 x 560 x 370 mm	5.12 cu. ft	192 pc / 20 ft 402 pc / 40 ft 470 pc / 40 ft High Cube



Miter Saw Stand



Legs click and lock into operating position



Wheeled for convenient transport



Height-adjustable supports with rollers and material stops



Lever actuated quick-release saw mounts

- Length: 47 - 79 in. x 25 in. wide x 35 in. high (1185 - 2000 x 632 x 900 mm)
- Maximum load capacity: 330 lb. (150 kg)

- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
MS3102 Miter Saw Stand	857647005253	Gross: 39 lb. Net: 36 lb.	52" x 11.5" x 8.5" 1325 x 290 x 218 mm	2.96 cu. ft	328 pc / 20 ft 656 pc / 40 ft 800 pc / 40 ft High Cube

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



6" | Bench Grinder



Twin LED work lights
on adjustable flex shafts



Powerful, maintenance-free
induction motor



Large eye shields



- Mountable base
- Wheel size: 6 in. diam. x 3/4" thick
x 1/2" bore (150 x 20 x 12.7 mm)
- 250 W motor
- No load speed: 3450 RPM
- 120 V ~ 60 Hz
- CSA certified
- Color packaging with
dual languages
(English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BG6001 6 Inch Bench Grinder	857647005239	Gross: 21 lb. Net: 19 lb.	15" x 8" x 10.5" 385 x 210 x 270 mm	.077 cu. ft	1300 pc / 20 ft

General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



Metal Cut-Off Saw



-  14" Metal cutting disc (35.5 cm)
-  Cuts up to 4" diameter (101.5 mm) / 4.5" square (115 mm)
-  Vise adjusts 0-45°
-  Hold down lock button and carry handle

- Cuts conduit, ABS, copper pipe, tile and even concrete (with correct blade)
- Comfortable "D" handle
- Strong steel base
- Arbor lock makes blade changes easy
- Vise clamp assembly with quick release
- Fence adjustable 0 to 45°
- Safety interlock trigger
- 120 V ~ 60 Hz, 15 Amp
- No-load speed: 3500 RPM
- CSA certified
- Color packaging with dual languages (English & French)

Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8005 Metal Cut-Off Saw	857647005123	Gross: 34 lb. Net: 31 lb.	22" x 12.5" x 17" 560 x 320 x 430 mm	2.72 cu. ft	376 pc / 20 ft 752 pc / 40 ft 880 pc / 40 ft High Cube



4" | Metal Cutting Band Saw



Cuts steel up to 4 inch diameter (102 mm) / 4 inch square (102 mm)



Pivoting head rotates up to 45°



Portable



Heavy duty steel base

- Compact for bench top use
- Light and strong cast aluminum saw head frame
- Cast iron vise opens to 4-1/8" (105 mm)
- Pivoting head with scale for miter cuts to 45°
- 2 Speeds help to cut ferrous and non-ferrous metals
- Blade speeds: 197 & 262 ft./min. (60 & 80 m/min)
- Adjustable blade guide
- Designed for dry cutting
- Includes 52-1/2" x 1/2" x .025" / 8-12 tpi variable blade (1335 x 12.7 x 0.64 mm / 2.12 - 3.18 mm pitch)
- 120 V ~ 60 Hz
- 600 Watt motor
- ETL certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BS5202 4 Inch Metal Cutting Band Saw	857647005031	Gross: 37.5 lb. Net: 33 lb.	29" x 15.5" x 20" 730 x 390 x 502 mm	5.05 cu. ft	188 pc / 20 ft 376 pc / 40 ft 470 pc / 40 ft High Cube



4 1/2" | Metal Cutting Band Saw



Cuts steel up to 4 inch diameter (102 mm) / 6 inch square (152 mm)



Simple horizontal / vertical change



3 Speeds



Heavy duty steel stand

- Strong cast iron saw head frame
- Stand features a work shelf and wheels for easy transport
- Cast iron vise opens to 6" (152 mm)
- 3 Speeds for cutting ferrous and non-ferrous metals
- Blade speeds:
80 / 120 / 180 ft./min.
(24 / 36.5 / 55 m/min)
- Adjustable blade guide
- Includes 64" blade (1638 mm)
- 120 V ~ 60 Hz
- 550 Watt motor
- ETL certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BS5205 4-1/2 Inch Metal Cutting Band Saw	857647005208	Gross: 128 lb. Net: 121 lb.	39.5" x 12.5" x 15" 1005 x 320 x 380 mm	4.32 cu. ft	195 pc / 20 ft

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



8" | Drill Press



5 Speeds



Patented cross-pattern precision laser alignment and centering guide



8 Inch swing



1/2 Inch chuck (13 mm)

- Depth stop with scale
- Transparent chuck safety guard
- Soft-grip feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 1/2" (13 mm)
- Taper: JT33
- Spindle travel: 2" (50 mm)
- 5 Speeds: 620 - 3100 rpm
- 120 V ~ 60 Hz
- 250 Watt motor
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2001 8 Inch Drill Press	857647005178	Gross: 38 lb. Net: 33 lb.	18" x 13.5" x 9" 456 x 340 x 230 mm	1.26 cu. ft	820 pc / 20 ft

General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



10" | Drill Press



5 Speeds



Patented cross-pattern precision laser alignment and centering guide



10 Inch swing



1/2 Inch chuck (13 mm)

- Unique built-in LED work light illuminates the work table
- Depth stop with scale
- Transparent flip-up chuck safety guard
- Large soft-grip ergonomic feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 1/2" (13 mm)
- Taper: JT33
- Spindle travel: 2-3/8" (60 mm)
- 5 Speeds: 620 - 3100 rpm
- 120 V ~ 60 Hz
- 375 Watt motor
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2002 10 Inch Drill Press	857647005185	Gross: 68 lb. Net: 62 lb.	21.5" x 15" x 9.5" 550 x 380 x 245 mm	1.81 cu. ft	540 pc / 20 ft

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



13" | Drill Press



16 Speeds



Patented cross-pattern precision laser alignment and centering guide



13 Inch swing



5/8 Inch chuck (16 mm)

- Unique built-in LED work light illuminates the work table
- Depth stop with scale
- Transparent flip-up chuck safety guard
- Large soft-grip ergonomic feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 5/8" (16 mm)
- Taper: MT2
- Spindle travel: 3-1/8" (80 mm)
- 16 Speeds: 260 - 4220 rpm
- Overall height: 64" (1625 mm)
- 120 V ~ 60 Hz
- 550 Watt motor
- CSA certified
- Packaging with color labels and dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2003 13 Inch Drill Press	857647005246	Gross: 123 lb. Net: 112 lb.	30" x 19.5" x 16" 1400 x 494 x 245 mm	5.99 cu. ft	160 pc / 20 ft



15" | Drill Press



16 Speeds



Patented cross-pattern precision laser alignment and centering guide



15 Inch swing



5/8 Inch chuck (16 mm)

- Unique built-in LED work light illuminates the work table
- Depth stop with scale
- Transparent flip-up chuck safety guard
- Large soft-grip ergonomic feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 25/32" (20 mm)
- Taper: MT2
- Spindle travel: 3-1/8" (80 mm)
- 16 Speeds: 240 - 3200 rpm
- Overall height: 64" (1625 mm)
- 120 V ~ 60 Hz
- 550 Watt motor
- CSA certified
- Packaging with color labels and dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2006 15 Inch Drill Press	857647005192	Gross: 148 lb. Net: 137 lb.	30" x 19.5" x 16" 1400 x 494 x 245 mm	5.99 cu. ft	160 pc / 20 ft

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



Portable Dust Collector System



Keep your shop and machinery clean



Powerful 3/4 HP motor



17 gallon capacity (65 liter)
for larger shops



6.5 ft. (2000 mm), 4" (100 mm)
diameter hose



Transparent replaceable collection bag



Heavy gauge steel base with wheels

- Heavy duty steel mobile base and frame with PVC wheels and hose
- 120 V ~ 60 Hz
- Speed 3450 RPM
- Capacity: 441cfm (750 m3/h)
- CSA certified
- Includes:
 - 6.5 ft. Flexible dust extraction hose
 - Plastic lower collection bag
 - Cloth upper collection bag
- Color packaging with dual languages (English & French)





Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8010 Portable Dust Collector System	857647005116	Gross: 62 lb. Net: 55 lb.	35" x 21" x 17" 895 x 540 x 440 mm	7.51 cu. ft	125 pc / 20 ft 250 pc / 40 ft 300 pc / 40 ft High Cube

General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



2 in 1 Portable Dust Collector



-  Compact design with powerful 1-1/2 HP motor
-  13 Gallon capacity (50 liter)
-  6.5 ft. Hose (2000 mm) with multiple adapters
-  .5 Micron filtration
-  Bracket included for easy wall mounting
-  Disposable collection bags



- Includes:
 - Dust extractor
 - Cartridge filter
 - 6.5 ft. Flexible hose
 - Wall-mount bracket
 - 5 Filter bags
 - 4 Hose adapters:
1-5/16", 1-9/16", 1-3/4" & 2-11/16"
(34, 40, 45 & 68 mm)
- Metal dust collection drum
- Large carry handle
- 120 V ~ 60 Hz
- No load speed: 20,000 rpm
- Air flow rate: 108 cfm
- Noise level: 85 dB (A)
- CSA certified
- Color packaging with dual languages (English & French)

Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8008 2 in 1 Portable Dust Collector	857647005109	Gross: 26.5 lb. Net: 23 lb.	16" x 16" x 27.5" 410 x 410 x 700 mm	4.15 cu. ft	195 pc / 20 ft 400 pc / 40 ft 400 pc / 40 ft High Cube



**WOODWORKING, METALWORKING,
AIR COMPRESSORS & MORE**



General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com