# POWER-SKING

# **Outdoor Power Equipment**

**Chainsaws & Cases Log Splitters Wood Chippers Stump Grinders Brush Cutters Leaf Blowers** 

Hot Water Pressure Washers

# www.QVTools.com



QV TOOLS, LLC. (West) 2731 Crimson Canyon Drive Las Vegas, NV 89128 Toll Free: 1-800-344-3371



QV TOOLS, LLC. (East) 30727 Beverly Road Romulus, MI 48174 Toll Free: 1-800-344-3371

# POWERSKING®

### STRENGTH IN MANUFACTURING - An Introduction to QV Tools

QVTools (Las Vegas, NV) is a financially sound company with strong corporate leadership. With over 100 years in combined Executive experience in Power Equipment & Tools, QV Tools supplies products and services from Dual distribution centers located in Detroit and Las Vegas. QV Tools Designs and Manufactures a number of PowerKing machines & components including the molds that produce our universal blow-molded chainsaw case. Our vertically integrated manufacturing capabilities provide faster response times and superior quality at lower costs. At PowerKing, we have the ability to consistently meet and/or exceed quality and on time demand expectations.









**Blow Molding Production** 

**Machinery Development** 

**Mold Making** 

**Automation** 

The result of our dedication to quality is zero-defect, on-time delivery.

Six manufacturing plants operate over 200 state-of-the-art blow molding production lines in North America. Each plant is registered to the ISO9001-2008 quality standard.



\*Applies to designated blow molded products & components



# POWERSING®

**Combination Chainsaw Packages** 



**Models Available** 

40CC

14 IN

18 IN

14/18 COMBO

45CC

**16 IN** 

**20 IN** 

16/20 COMBO

57CC

**18 IN** 

**22 IN** 

18/22 COMBO



PK401418



PK451620



PK571822

WWW.QVTOOLS.COM





### A SMART CHAIN SYSTEM

- On demand oil, gear driven, adjustable flow (Saves up to 50% on oil usage)
- · Low kickback chain design

### B SUPERSTEEL BAR

· Thicker, stronger, long lasting bar guides

### **C** BUMPER SPIKE

- Thicker steel
- · Guides and holds saw for secure cuts

### ULTRA MUFFLER

• Ultra quiet at 97.8dB sound pressure

# **E QUICK REACTION CHAIN BRAKE**

- Large thick paddle, quick chain stop
- Safe chain control

### F VIBRATION ISOLATOR SYSTEM

 Low 7.44 m/s2 spring damper handle (Enhances feel and offers a more secure grip) Soft, Durable Pro Grade Grip

### G ERGONOMIC BODY DESIGN

· Balanced weight and easy handling

### H FAST ACTION COVER

 Remove top cover with a snap (Access air filter, spark plugs quickly)

### SMOOTH START

 Auto/off choke, smooth pull recoil, primer bulb (Easy to cold start)

### M FULL FUNCTION REAR HANDLE

- Sure grip finger grooves, glove friendly on/off switch
- Room for work boot while starting

### N XL FUEL/ OIL CAPS

- · Large openings for easy fueling
- Rubber seals

### O POWERKING ENGINE

- 40CC 45CC 57CC
- 14, 16, 18, 20, 22 inch bars.


Other: EPA, CE, EAC & PCT Certified, CDI Ignition, Hardened Steel Drive Gear, Heavy Duty Bearings, Certified Spark Arrestor, Easy Clean Filter

# POWER-AING®

#### **CHAINSAWS**

SPECIFICATION	40CC	45CC	57CC	
Fuel tank capacity	10.93 oz	24.69 oz	24.69 oz	
Oil tank	7.41 oz	8.47 oz	8.47 oz	
Oil feeding system	Cam automatic	Cam automatic	Cam automatic	
Pitch	3/8"	.325"	.325" .058 18" <b>PK5718</b> & 22" <b>PK5722</b> 12.38 lbs 3.5 hp	
Gauge	.050	.058		
Bar Length & Chain Model#	14" <b>PK4014</b> & 18" <b>PK4018</b>	16" <b>PK4516</b> & 20" <b>PK4520</b>		
Net Item weight	11 lbs	12.38 lbs		
Horsepower	2 hp	3 hp		
Fuel: Gas/Oil Mix	40:1	40:1	40:1	
Type Single Cylinder	2 stroke	2 stroke	2 stroke	
Ignition	C.D.I	C.D.I	C.D.I	













# POWERWING®








### **BAR AND CHAIN PROGRAM**




# POWER-SKING®



# POWER-WING

# **PowerKing Universal 20" Chainsaw Carrying Case**

Made in USA PowerKing chainsaw case with removable scabbard. Full long box with top and front locking doors. Blow-molded pockets for tools, scrench, files, manuals, chains, bar oil. Top carry handle with dual side lift pockets. Protects your saw (with bar sizes up to 18") & keeps all your tools handy.



# POWER-WING

MARKET METRICS ----- PowerKing 20" Chainsaw Carrying Case

- Each year over 3 million new chainsaws are sold in the United States, in addition with the millions of older chainsaws in circulation today. While some of the new chainsaws include a case there are many more pre-owned saws in need of storage cases. Opportunity is now to serve this market need at a value price for thousands of customer's new and used chainsaws.
- Current chainsaw cases of similar quality retail for \$49.99 69.99, a high price for a case. The PowerKing \$39.99 MSRP will capture this market with a consumer price point well below the current market price and USA quality. At \$39.99, this price point is proven to drive sales..

-	POWER-SKING®	Husqvarna Lowes	ECHO Home Depot
			PIP
	Under \$30 Wholesale \$39.99 MSRP	Instore \$49.99 Retail	Online only \$39.97 Retail + shipping



# **RETAIL AND DROP SHIP READY**

OPTIMIZED SPACE SAVER RETAIL PACKAGING



POWER-**#**KING"

IN STORE OR DROP SHIP
UPS READY



12

# **POWERKING**

# **BRUSH CUTTERS / TRIMMERS COMBOS**

PK1101

This COMBO brush cutter performs with authority with TRICUT brush blade and included grass string trimmer. The 43cc 2 cycle engine delivers maximum cutting power. Quick shaft disconnect for transporting this power machine. Come complete with tool kit, fuel mixing bottle, body harness, TRICUT blade, auto feed string trimmer. EPA certified and tested. Powerking manufactures high quality feature enriched equipment. "DO YOUR THING WITH POWERKING".



# **POWERKING**

# PK1102

This COMBO brush cutter performs with authority with TRICUT brush blade and included grass string trimmer. The 52cc 2 cycle engine delivers maximum cutting power. Dual body harness with padded shoulder straps adds operator comfort and unit weight. Quick shaft disconnect for transporting this mega power machine. Come complete with tool kit, fuel mixing bottle, body harness, TRICUT blade, auto feed string trimmer. EPA certified and tested. Powerking manufactures high quality feature enriched equipment. "DO YOUR THING WITH POWERKING".





- 52cc 2 cycle engine
- TRICUT
   Powerking brush cut blade
- Auto feed string trimmer
- Quick release
   Dual padded
   body harness
- Tool kit
- Fuel mixing bottle
- Locking hex drive shaft
- Premium hand controls
- Leg shaft protector plate
- Fuel/Oil mix 40:1









34 Ton Ram - Kinetic Log Splitter

PK0303 - Kohler Engine




Kinetic transmission spline hardening to HRC42-48 ultra durable. Out splits hydraulic splitter 6 to 1. CE certified.



PK0302 - Briggs Engine (DI)





Over 10,000 Kohler and National Altaquip Service centers for Customer Satisfaction.

WWW.QVTOOLS.COM

3 Yr Warranty PARTS and LABOR



# 34 Ton Kinetic Log Splitter FEATURES AND SPECS



# Professional grade - 3 second super steel ram

Powered with Kinetic ram force to split logs fast and easy. Includes 3 year warranty on all parts and labor, work table, removable hitch, all terrain 10" tires on chrome rims, expansion splitter wedge, case hardened ram.

# Feature packed for professional performance

Non Hydraulic professional splitter design eliminates hoses, pumps, valves, cylinders, filters and couplers. This machine is built for power and speed. A serious new breed of PowerKing equipment that out splits hydraulics 6 to 1.

MODEL: PK0303 – 6.5 HP KOHLER

MODEL: PK0302 - 6.5 HP BRIGGS (DI Only)



# POWERSKING®

# MARKET METRICS AND COMPS: KINETIC LOG SPLITTERS

MARKET METRICS AND COMPS. KINETIC EOG SPEITTERS					
POWEF	REKING®	DR POWER	SuperSplit	Agri-Fab	
4					
	PK0302 & PK0303	DR-K34	HD	BFS 614AB	
TONNAGE	34 TON	34 TON	32 TON	34 TON	
WARRANTY	3 YEAR PARTS AND LABOR	\$249.99 OPTION FOR 3 YEAR	6MO PARTS ONLY - NO SERVICE CENTERS	1st YR parts only 2 <sup>nd</sup> /3 <sup>rd</sup> YR limited parts covered.	
WORK TABLE	INCLUDED	\$199.99 OPTION FOR TABLE	\$274.99 OPTION FOR TABLE	INCLUDED	
2" BALL HITCH	INCLUDED	\$79.99 OPTION FOR BALL HITCH	INCLUDED	INCLUDED	
Engine Model	PK / BS / KOHLER	SUBARU 169CC	HONDA 6.5 HP	SUBARU 169CC	
CE CERTIFIED	YES 100%	NO CERTIFICATION	NO CERTIFICATION	NO CERTIFICATION	
LOG SIZE	30D X 26L	26D X 24L	20D X 24L	30D X 24L	
FLYWHEEL RPM	520 rpm	400 rpm	420 rpm	365 rpm	
COST	UNDER \$1400	Splitter \$2299 Warranty \$250	Splitter \$2894 Worktable	Splitter \$3199 ONLINE ONLY	
MSRP	PK0302 MSRP	Worktable \$200	\$274	Shipping \$580	
	\$1899.99	Ball Hitch \$80	Shipping \$580		
	84 qty/cntr	Shipping \$580 TOTAL \$3409	TOTAL \$3748	TOTAL \$3779	

# POWERSKING®



2 WAY SPLIT PK0302 – BRIGGS (DI) PK0303 - KOHLER







15 TON – HORZ

2 WAY SPLIT

PK0304 – POWERKING



22 TON – HORZ/VERT 4 WAY SPLIT

PK0308 – BRIGGS (DI) PK0309 - KOHLER



60 TON - HORZ/VERT PK0321 - KOHLER

PK0320 – BRIGGS (DI)

PK0314 BRIGGS (DI) PK0315 KOHLER





# LOG SPLITTER MODELS AND SPECIFICATIONS

Model Number:   PK0004	EGG GI EITTER MODELO AND GI EGH IGATIONG						
UPC:	POWERKING LOG SPLITTERS	15 TON	22 TON	34 TON	60 TON		
Manufacture:   POWERKING   POWERKING   POWERKING   Made in USA.   No   No   No   No   No   No   No   N	Model Number:	PK0304	PK0309	PK0303	PK0321		
Made in USA:         No         No         No         No         No           Engine         No         No         No         No         No           Engine Brand:         POWERKING         Kohler         Kohler         Kohler         Kohler         Kohler         Mode         Image: Start	UPC:	0 37229 99042 3	0 37229 99047 8	0 37229 99041 6	0 37229 99059 1		
Pre-Assembled:         No         No         No         No         No           Engine Engine         Engine Brand:         POWERKING         Kohler         Kohler         Kohler           Engine Starter:         Recoil Start         Recoil Start         Recoil Start         Belectric Start Battery Included           HP/CC:         6.5 HP         6.5 HP         6.5 HP         14 HP         Image: Control of the second start           Log Capacity         Ves         Yes         Yes         Yes         Yes         Image: Control of the second start         Recoil Start         Recoil Start         Recoil Start         Belectric Start Battery Included         Image: Control of Start         Recoil Start         Recoil Start         Belectric Start Battery Included         Image: Control of Start         Recoil Start         Recoil Start         Belectric Start Battery Included         Image: Control of Start         Recoil Start         Recoil Start         Belectric Start         Recoil	Manufacturer:	POWERKING	POWERKING	POWERKING	POWERKING		
Engine   Engine   Engine   Engine   Engine   Engine   POWERKING   Kohler   Kohler   Engine   Starter:   Recoil Start   Recoi	Made in USA:	No	No	No	No		
Engine Brand:	Pre-Assembled:	No	No	No	No		
Engine Starter:   Recoil Start   Recoil Start   Recoil Start   Recoil Start   Battery Included   Battery I	Engine						
Engine Staint   Recoil Start   Rec	Engine Brand:	POWERKING	Kohler	Kohler			
Idle Control: Yes	Engine Starter:	Recoil Start	Recoil Start	Recoil Start			
Max Log Length:   21.0 Inches   25.0 inches   26.0 inches   28.0 inches	HP/CC:	6.5 HP	6.5 HP	6.5 HP	14 HP		
Max Log Length:         21.0 Inches         25.0 inches         28.0 inches         28.0 inches           Wedge         Wedge Style:         2-way         4-way         2-way         4-way           Hydraulics           Auto Return:         Yes         Yes         Yes         Yes           Hydraulic Pilter:         Yes         Yes         Yes         Yes           Hydraulic Oil Included:         No         No         NA         No         No         NA         No         No         NA         6.0 inches         Colinches         Colin	Idle Control:	Yes	Yes	Yes	Yes		
Wedge         2-way         4-way         2-way         4-way           Hydraulics           Auto Return:         Yes         Yes         Yes         Yes           Hydraulic Filter:         Yes         Yes         Yes         Yes           Hydraulic Dil Included:         No         No         NA         No         No         NA         No         No         NA         No         No         NA         No         No <t< td=""><td>Log Capacit</td><td>y</td><td></td><td></td><td></td><td></td><td></td></t<>	Log Capacit	y					
Wedge Style:   2-way	Max Log Length:	21.0 Inches	25.0 inches	26.0 inches	28.0 inches		
Hydraulics           Auto Return:         Yes         Yes         Yes         Yes           Hydraulic Filter:         Yes         Yes         Yes         Yes           Hydraulic Oil Included:         No         No         NA         No           Cylinder Diameter:         3.0 Inches         4 inch         NA         6.0 inches           Towing           Towable:         No         Yes         Yes         Yes           D.O.T. Lights:         No         No         No         No           Fenders:         No         Yes         No         Yes           Hitch Ball Size:         No         2 inch         2 inch         2 inch           Max Towing Speed:         No         30 MPH         30 MPH         30 MPH           Accessories         Included         Included         Included           Log Cradles:         Included         Included         Included           Jack Stands:         Included         Included         Included           Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 38H         84.65L x 22	Wedge						
Auto Return:         Yes         Yes         Yes         Yes           Hydraulic Filter:         Yes         Yes         Yes         Yes           Hydraulic Oil Included:         No         No         NA         No           Cylinder Diameter:         3.0 Inches         4 inch         NA         6.0 inches           Towing           Towable:         No         Yes         Yes         Yes           D.O.T. Lights:         No         No         No         No         No           Fenders:         No         Yes         No         Yes         No         Yes           Hitch Ball Size:         No         2 inch         2 inch         2 inch         2 inch         30 MPH         Included	Wedge Style:	2-way	4-way	2-way	4-way		
Hydraulic Filter:   Yes   Ye	Hydraulics						
Hydraulic Oil Included: No No No NA NO NA NO NA NO	Auto Return:	Yes	Yes	Yes	Yes		
Cylinder Diameter:         3.0 Inches         4 inch         NA         6.0 inches           Towable:         No         Yes         Yes         Yes           D.O.T. Lights:         No         No         No         No           Fenders:         No         Yes         No         Yes           Hitch Ball Size:         No         2 inch         2 inch         2 inch           Max Towing Speed:         No         30 MPH         30 MPH         30 MPH           Accessories           Log Cradles:         Included         Included         Included           Jack Stands:         Included         Included         Included           Overview         Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.08W x 20.47H         39H         38H x 22.83W x 22.83W x 22.83H         22.83H           Consumer Warranty:         1 Year         3 Years         3 Years         3 Years	Hydraulic Filter:	Yes	Yes	Yes	Yes		
Towing   No	Hydraulic Oil Included:	No	No	NA	No		
Towable:	Cylinder Diameter:	3.0 Inches	4 inch	NA	6.0 inches		
D.O.T. Lights:	Towing						
Fenders: No	Towable:	No	Yes	Yes	Yes		
Hitch Ball Size: No 2 inch 2 inch 2 inch 30 MPH 30	D.O.T. Lights:	No	No	No	No		
Max Towing Speed:         No         30 MPH         30 MPH         30 MPH           Accessories           Log Cradles:         Included         Included         Included           Jack Stands:         Included         Included         Included           Overview           Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 19.69H         84.65L x 22.83W x 22.83H           Consumer Warranty:         1 Year         3 Years         3 Years         3 Years	Fenders:	No	Yes	No	Yes		
Accessories           Log Cradles:         Included         Included         Included           Jack Stands:         Included         Included         Included           Overview           Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 19.69H         84.65L x 22.83W x 22.83W x 22.83H           Consumer Warranty:         1 Year         3 Years         3 Years         3 Years	Hitch Ball Size:	No	2 inch	2 inch	2 inch		
Log Cradles:         Included         Included         Included         Included           Jack Stands:         Included         Included         Included         Included           Overview           Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 19.69H         84.65L x 22.83W x 22.83W x 22.83H           Consumer Warranty:         1 Year         3 Years         3 Years         3 Years	Max Towing Speed:	No	30 MPH	30 MPH	30 MPH		
Jack Stands:         Included         Included         Included           Overview           Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 19.69H         84.65L x 22.83W x 22.83W x 22.83H           Consumer Warranty:         1 Year         3 Years         3 Years         3 Years	Accessories	3					
Overview           Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 19.69H         84.65L x 22.83W x 22.83W x 22.83H           Consumer Warranty:         1 Year         3 Years         3 Years         3 Years	Log Cradles:	Included	Included	Included	Included		
Shipping Weight:         418.88 Lbs         485 Lbs         518 Lbs         738 Lbs           Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 19.69H         84.65L x 22.83W x 22.83W x 22.83H           Consumer Warranty:         1 Year         3 Years         3 Years	Jack Stands:	Included	Included	Included	Included		
Shipping Dimensions:         44.88L x 22.05W x 20.47H         70.47L x 20.08W x 19.69H         68L x 19W x 38H         84.65L x 22.83W x 22.83W x 22.83H           Consumer Warranty:         1 Year         3 Years         3 Years         3 Years	Overview						
Snipping Dimensions:         20.47H         19.69H         38H         22.83H           Consumer Warranty:         1 Year         3 Years         3 Years	Shipping Weight:	418.88 Lbs	485 Lbs	518 Lbs	738 Lbs		
	Shipping Dimensions:						
Commercial Westerby: 00 Davis 00 Davis 00 Davis 00 Davis	Consumer Warranty:	1 Year	3 Years	3 Years	3 Years		
Confinercial viarranty. 90 Days 90 Days 90 Days	Commercial Warranty:	90 Days	90 Days	90 Days	90 Days		

# POWERWING®

**EXTREME DUTY 4-3/4" WOOD CHIPPER** 



SKU PK0902 - 13.5 HP BRIGGS Engine (DI)

SKU PK0903 – 14 HP KOHLER Engine



RECOIL START

PRODUCT SIZE: 71L x 32W x 45 H

**BELT: 2 HIGH QUALITY V-BELTS** 

BLADE LENGTH: 12 inch,

TWIN REVERSIBLE BLADES

CHIPPING CAPACITY: 4.75 inch

ADVANCED CENTRIFUGAL CLUTCH >

ADJUSTABLE DISCHARGE CHUTE

# POWERSKING®

## STUMP GRINDER

SKU PK0803 - 14 HP KOHLER

**SKU PK0802 – 13.5 HP BRIGGS** (DI)

**RECOIL START** 

BELT: 2 HIGH QUALITY V-BELTS BLADE NUMBER: 9 CUTTERS CHIPPING CAPACITY: 4.75 IN CUTTING WHEEL DIAMETER: 12 IN

CUTTING WHEEL THICKNESS: 3.5 IN

BRAKE: DRUM BRAKE

**CE CERTIFIED** 



# SUPER STEEL SERIES 14 HP STUMP GRINDER



# 

Commercial Hot Water Gasoline - Oil Fired + Cold Water Pressure Washers

# **Hot & Cold Features**

#### Pumps (General Pump)

- Commercial Duty Triplex Plunger Pump
- Oil Bath Crank Case
- Stainless Valves
- Brass Manifold Direct Drive
- Thermo Pump Protector

#### Engines (6.5 HP & 14 HP Kohler)

· Gasoline Driven • Efficient • Serviceable

#### Frame

- All Welded Powder Coated
- 12 Gauge Bent Steel Roll Cage
- Lifting Bar
- 3/4" Threaded Axles Welded to the Frame
- 13" Pneumatic Wheels Attached with **Lock Nuts**
- •10 Gallon Poly Fuel Tank
- Hose Reel Mounting Plate
- Stationary Skid Frame also available

#### Includes

- 36" Gun and Wand Assembly with **Quick Coupler System**
- 0°/15°/25°/40° Nozzles
- 1 Soap Nozzle
- Downstream Chemical Injection System
- 50 Feet of High Pressure Hose

#### **Burners (Wayne - 12 Volt)**

- Oil Fired
- Adjustable Thermostat
- On/Off Switch
- North American Made
- Serviceable
- 140°F Temperature Rise
- Dependable

Utilized by a multitude of businesses for a wide variety of cleaning needs. From a simple oil field application to daily construction and farm use.



PK0702 - 2700PSI 6.5HP 3GPM



### **Options & Accessories**

- Hose Reel
   Rotary Nozzle
- Drain Cleaning/Jetter Kit









# **Heating Coil**

- Schedule 80 Pipe
- Elliptically Wound
- Stretched
- No Seam Welds
- Structurally Braced to Reduce Vibration & Pipe Wear
- Sealed Ceramic Blanket
- Stainless Steel Housing


# POWER-MING

PowerKing Service Centers are now 10,000 plus strong.

We are proud to announce coverage for ALL PowerKing equipment.

KOHLER Engine Service Network is your authorized PowerKing Specialists.

#### MENARDS POWERKING Altaquip Coverage



Copyright Copyright Copyright Internal Copyright and the Manager and operations are also because the Copyright Copyr

KOHLER service network is the premier North American service solution provider for powered equipment and tools specializing in fast turn-around for outdoor power equipment. KOHLER Engine service network is authorized to perform warranty repairs on Powerking products.

"PowerKing has partnered with KOHLER to deliver a positive experience plus 2 Powerking distribution & service centers in Detroit and Las Vegas, PowerKing is service center strong for premium service."

Contact Representative: John Brown power10marketing@gmail.com

Gregg Neuer