



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: B140-101

DVI over Cat5 Passive Extender Kit

Highlights

- Extend a DVI-D Single-Link signal up to 100 ft. at 1024 x 768 (60Hz), or up to 50 ft. at 1920 x 1080 (60Hz), when using 24Awg, solid wire Cat5e/6 cabling. (Tripp Lite N202-Series)
- Compatible with all operating systems; no software or drivers required.
- No external power required.
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.



Description

Tripp Lite's B140-101 DVI over Cat5 Passive Extender Kit is the perfect solution for those who need to extend a DVI-D Single-Link signal up to 100 ft. from the source. When using 24Awg, solid wire Cat5e/6 cabling (Tripp Lite N202-Series), the B140-101 can extend a 1024 x 768 (60Hz) signal up to 100 ft., or a 1920 x 1080 (60Hz) signal up to 50 ft. Installation is quick and easy: Simply attach the local unit to your DVI source, attach the remote unit to your display, and then connect a Cat5e/6 patch cable between the two. The signal will be sent with perfect video quality. Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.

System Requirements

- Computer with DVI video card, and monitor with DVI input.

Package Includes

- B140-101 local transmitter unit
- B140-101 remote receiver unit
- Owner's manual

Features

- Kit comes with both local transmitter and remote receiver units.
- Extend a DVI-D Single-Link signal up to 100 ft. at 1024 x 768 (60Hz), or up to 50 ft. at 1920 x 1080 (60Hz), when using 24Awg, solid wire Cat5e/6 cabling. (Tripp Lite N202-Series)
- No external power supply required.
- No software or drivers required.
- HDCP and DDC compatible
- Compatible with all operating systems.
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.

Specifications

OVERVIEW	
Cable Type	DVI
Display Style	Extender
LEDS ALARMS & SWITCHES	

LED Indicators	The Green RJ45 LED on the local unit illuminates to indicate it is connected to and receiving power from the source. The Green RJ45 LED on the remote unit illuminates to indicate it is connected to and receiving power from the monitor. The Orange RJ45 LEDs does not illuminate.
PHYSICAL	
Color	Black
CONNECTIONS	
Connector A	 (X2) DVI-D SINGLE LINK (MALE)
Connector B	 (X2) RJ45 (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty

Related Items

Recommended Products

Related Model	Description	Qty.
N202-025-BL	25-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
N202-050-BL	50-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
N202-075-BL	75-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1
N202-100-BL	100-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue	1

Optional Products

Related Model	Description	Qty.
B140-101-WP	DVI Over CAT5 2pc Wallplate Extender Kit	1
B140-101X	DVI Over CAT5 2pc Super - Extender Kit up to 200ft	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?variables.txtModelID=4476.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.