

Pedestal Table

Stock # 07-2213T-Y



CUSTOMER SERVICE INFORMATION

Ying Fu Enterprise Co., Ltd. PHONE: 1-855-258-5258


EMAIL: css@yingfu.biz 8:30 am to 5:00 pm CST, Mon. thru Fri.

GENERAL INFORMATION & TIPS

- 1. Please <u>read the Assembly Instructions</u> prior to assembling this product.
- 2. To avoid damage, assemble the product on a non-abrasive surface such as carpet.
- 3. Make sure all Allen bolts are tightly fastened before the product is used.
- 4. This product is Not Rated for Commercial Use.
- 5. Care and Cleaning: Wipe with a damp cloth. Use furniture polish or lemon oil on the wood as needed. Avoid prolonged exposure to moisture.

Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts. We recommend using two people for assembly.

- 1. Use the long end of the Allen wrench to start fastening of the Allen bolt.
- 2. Use the short end of the Allen wrench for final tightening.




PARTS LIST


A. Table Top (Not Replaceable)	B. Post	C. Foot
QTY: 1 pc	QTY: 1 pc	QTY: 4 pcs
D. Right Support	E. Left Support	F. Connector Panel
QTY: 1 pc	QTY: 1 pc	QTY: 1 pc

HARDWARE LIST

1. Nut	2. Spring Washer	3. Large Flat Washer
5/16 inch Dia		
QTY: 12 pcs	QTY: 12 pcs	QTY: 12 pcs
4. Long Allen Bolt	5. Short Allen Bolt	6. Allen Wrench
5/16 inch Dia x 3 inch L	5/16 inch Dia x 1-3/8 inch L	
QTY: 4 pcs	QTY: 4 pcs	QTY: 1 pc
7. Open-End Wrench		
3		
QTY: 1 pc		


Diagram #1






- 1. Place the tabletop (A) upside down on a non-abrasive surface such as carpet.
- 2. Attach two supports (D&E) to the leaf support of the tabletop (A) using four long Allen bolts (4) as shown in inset (A), Tighten the bolts with the Allen wrench(6).


Diagram #2






3. Attach connector panel (F) to the post (B) using four nuts (1), four spring washers (2) and four large flat washers (3) as shown in inset (b). Tighten the nut with the open-end wrench (7).


Diagram #3






4. Attach the connector panel (F) to the supports (D&E) using four short Allen bolts (5), as shown in inset (c). Tighten the bolts with an Allen wrench (6).


Diagram #4






- 5. Attach four feet (C) to post (B) using eight nuts (1), eight spring washers (2) and eight large flat washers (3) as shown. Tighten the nuts with the open-end wrench (7).
- 6. Turn the table base upright.

Diagram #5





- 7. To use the butterfly leaf, unclamp the clasps underneath table top (A).
- 8. Pull on opposite ends of the table to open.

Diagram #6

Operating Hint: To initially open the leaf, be sure to grasp both sides of the leaf in the position shown and pull straight up.

- 9. Turn the leaf 180° as shown in inset (f). Then turn half of the leaf 180° as shown in inset (g).
- 10. Turn the rails on the bottom of the leaf 90° as shown in inset (h).
- 11. Close the tabletop (A) as shown in inset (i), lock the clasps as shown in inset (i).





Diagram #7





Please note: You can adjust the caps on the bottom of the feet to level the table. The Table is now ready to use.