

Afrin® Original Nasal Spray

Drug Facts	
Active ingredient Oxymetazoline hydrochloride 0.05%	<i>Purpose</i> Nasal decongestant
Uses	
 temporarily relieves nasal congestion due to: common cold hay fever upper respiratory allergies temporarily relieves sinus congestion and pressure 	
 shrinks swollen nasal membranes so you can breathe mo 	re freely
Warnings Ask a doctor before use if you have heart disease high blood pressure diabetes trouble urinating due to an enlarged prostate gland	thyroid disease
When using this product	
do not use more than directed	
 do not use for more than 3 days. Use only as directed. F cause nasal congestion to recur or worsen. 	requent or prolonged use may
 temporary discomfort such as burning, stinging, sneezing discharge may occur 	
 use of this container by more than one person may spread 	d infection
Stop use and ask a doctor if symptoms persist	
If pregnant or breast-feeding, ask a health professional before Keep out of reach of children. If swallowed, get medical he Center right away.	
Directions	
 Directions adults and children 6 to under 12 years of age (with adult each nostril not more often than every 10 to 12 hours. Do 	not exceed 2 doses in any 24 To spray, squeeze bottle
 Directions adults and children 6 to under 12 years of age (with adult each nostril not more often than every 10 to 12 hours. Do hours. children under 6 years: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. quickly and firmly. Do not tilt head backward while spraying. V 	not exceed 2 doses in any 24 To spray, squeeze bottle
 Directions adults and children 6 to under 12 years of age (with adult each nostril not more often than every 10 to 12 hours. Do hours. children under 6 years: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. quickly and firmly. Do not tilt head backward while spraying. V Secure cap after use. 	not exceed 2 doses in any 24 To spray, squeeze bottle
 Directions adults and children 6 to under 12 years of age (with adult each nostril not more often than every 10 to 12 hours. Do hours. children under 6 years: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. quickly and firmly. Do not tilt head backward while spraying. We secure cap after use. Other information 	not exceed 2 doses in any 24 To spray, squeeze bottle
 Directions adults and children 6 to under 12 years of age (with adult each nostril not more often than every 10 to 12 hours. Do hours. children under 6 years: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. quickly and firmly. Do not tilt head backward while spraying. V Secure cap after use. Other information store between 20°C to 25°C (68° to 77°F) 	To spray, squeeze bottle Nipe nozzle clean after use.