

DOREL ASIA



2-in-1 Convertible Crib



Model No:

DA7427B2 (BLACK)

UPC CODE:

0-65857-17265-2

KSN No:

950008441890

NOTE:

THIS INSTRUCTION BOOKLET
CONTAINS **IMPORTANT** SAFETY
INFORMATION. PLEASE READ AND
KEEP FOR FUTURE REFERENCE.

Lot number:

(TAKEN FROM CARTON)

Date of purchase:

____ / ____ / ____



DO NOT RETURN PRODUCT TO THE STORE.

If a part is missing or damaged, contact our
customer service department. We will replace the
part **FREE** of charge.



Tel #: 1-800-295-1980

E-Mail: das@dorel.com

Fax #: 514-353-7819

CUSTOMER SERVICE

If you are missing parts or have any questions about this product, contact our customer service representative first!



CALL 1-800-295-1980

You can also order parts by writing to the address listed below. Please include the product model number, color and a detailed description of the part.

Customer Service Department No. 413
12345 Albert-Hudon Boulevard, Suite 100
Montreal, Quebec
Canada, H1G 3L1
E-MAIL: das@dorel.com



WARNING

- * Failure to follow these warnings and assembly instructions could result in serious injury or death.
- * Read all instructions before assembling crib. **KEEP INSTRUCTIONS FOR FUTURE USE.**
- * Check this product for damaged hardware, loose joints, loose bolts or other fasteners, missing parts or sharp edges before assembly and frequently during use. Securely tighten loose bolts and other fasteners. **DO NOT** use crib if any parts are missing, damaged or broken. Contact a customer service representative at 1-800-295-1980 for replacement parts and instructional literature if needed. **DO NOT** substitute parts.
- * Infants can suffocate on soft bedding. Never add a pillow or comforter. Never place additional padding under an infant.
- * Stop using the crib when child begins to climb out or reaches the height of 35 inches (89 cm).
- * To reduce the risk of SIDS, pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.
- * **DO NOT** place crib near window where cords from blinds or drapes may strangle a child.
- * Strings can cause strangulation! **DO NOT** place items with a string around a child's neck, such as hood strings or pacifier cords. **DO NOT** suspend strings over a crib or attach strings to toys.
- * To help prevent strangulation tighten all fasteners. A child can trap parts of the body or clothing on loose fasteners.
- * If refinishing, use a non-toxic finish specified for children's products.
- * When child is able to pull to standing position, set mattress to lowest position and remove bumper pads, large toys and other objects that could serve as steps for climbing out.
- * Never use plastic shipping bags or other plastic film as mattress covers because they can cause suffocation.
- * Replace teething rail if damaged or loose (if teething rail is provided for this model).
- * **CAUTION: ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27-1/4 INCHES BY 51-5/8 INCHES (69CM BY 131CM) WITH A THICKNESS NOT EXCEEDING 6 INCHES (15CM).**
- * Infants can suffocate in gaps between crib sides and a mattress that is too small.
- * Follow warnings on all products in a crib.
- * **INFANTS HAVE DIED IN TODDLER BEDS FROM ENTRAPMENT.** Openings in and between bed parts can entrap head and neck of a small child.
- * NEVER use bed with children under 15 months or over 50 lbs.
- * ALWAYS follow assembly instructions.
- * **STRANGULATION HAZARD.** NEVER place bed near windows where cords from blinds or drapes may strangle a child.
- * NEVER suspend strings over a bed.
- * NEVER place items with a string, cord, or ribbon around a child's neck, such as hood strings or pacifier cords. These items can catch on bed parts.
- * **CAUTION**
ENTRAPMENT HAZARD. To avoid dangerous gaps, any mattress used on this bed shall be a full-size crib mattress at least 51-5/8 inches (1310 mm) in length, 27-1/4 inches (690 mm) in width, and a max thickness of 6 inches (150 mm).

NOTES

- * Ensure all parts and components are present before beginning assembly.
- * Assemble on a soft, smooth surface to prevent damage to product finish.
- * **DO NOT** use power tools.
- * CAUTION: Adult assembly required.
- * Assembly will require two people.
- * Estimated assembly time: 60 minutes.

CARE AND CLEANING

Dust regularly with a soft, lint-free cloth to prevent soil build-up. A damp cloth may be used occasionally to clean surface. Dry immediately. Do not use any abrasives that may damage finish. Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.

MAINTENANCE

Check bolts/screws periodically and tighten them if necessary.

LIMITED WARRANTY

Dorel warrants its product to be free from defects in material and workmanship and agrees to remedy any such defect. This warranty covers 1 year from the date of original purchase. This warranty is valid only upon presentation of proof of purchase. This is solely limited to the repair or replacement of defective furniture components and no assembly labor is included. This warranty does not apply to any product which has been improperly assembled, subjected to misuse or abuse or which has been altered or repaired in any way. This warranty gives you specific legal rights and you may also have other rights which vary from State to State.











WARNING: Should this product become damaged, and/or components are broken or missing, DO NOT USE.

2-in-1 Convertible Crib

DA7427B2









HARDWARE LIST

1	 Ø1/4" X 13mm X 35mm	2	 Ø1/4" X 13mm X 55mm
BOLT 4 PCS		BOLT 10 PCS	
3	 Ø1/4" X 13mm X 75mm	4	 Ø1/4" X 13mm X 60mm
BOLT 8 PCS		BOLT 2 PCS	
5	 Ø8 X 30mm	6	 Ø1/4" X 13mm X Ø10mm
WOOD DOWEL 8 PCS		BARREL NUT 16 PCS	
7		8	 Ø1/4" X 13mm X 15mm
ALLEN KEY 1 PC		MATTRESS SUPPORT BOLT 16 PCS	

2-in-1 Convertible Crib

DA7427B2

PARTS LIST

<p>A</p>  <p>A1 - LEFT A2 - RIGHT</p>	<p>B</p>  <p>B1 - LEFT B2 - RIGHT</p>	<p>C</p> 
<p>FRONT POST 2 PCS</p>	<p>BACK POST 2 PCS</p>	<p>BACK PANEL 1 PC</p>
<p>D</p> 	<p>E</p> 	<p>F</p> 
<p>SIDE PANEL 2 PCS</p>	<p>TOP RAIL 2 PCS</p>	<p>FRONT PANEL 1 PC</p>
<p>G</p> 	<p>H</p> 	
<p>FRONT RAIL 1 PC</p>	<p>MATTRESS SUPPORT 1 PC</p>	

2-in-1 Convertible Crib

DA7427B2



CRIB ASSEMBLY INSTRUCTION


NOTE: When inserting bolts, turn clockwise until tight. Then loosen 1/2 - 3/4 of a turn. After crib is completely assembled, return to each bolt and tighten. Use wax or soap on all bolts to facilitate assembly.

2-in-1 Convertible Crib

DA7427B2

STEP 1

Attach top rails (E) to the side panels (D) as shown below.



NOTE:

The side panels (D) and top rails (E) are labeled "INSIDE". To ensure proper assembly, the side panel (D) and top rails (E) must be assembled facing the same side.

2-in-1 Convertible Crib

DA7427B2

STEP 2






Insert wood dowels (5) into the top rail (E).

Insert barrel nuts (6) into the side panel (D).

Attach left front post (A1) and left back post (B1) to the side panel (D) and top rail (E) with bolts (1 & 2) as shown.

Use Allen key (7) to tighten the bolts.

Repeat this step to assemble the other side panel using right front post (A2) and right back post (B2).



2-in-1 Convertible Crib


DA7427B2

STEP 3

Insert barrel nuts (6) into the back panel (C).


Attach back panel (C) to the left and right back posts (B1 & B2) with wood dowel (5) and bolts (3).

Use Allen key (7) to tighten the bolts.




NOTE:

The back panel (C), side panels (D), and top rails (E), are labeled "INSIDE". To ensure proper assembly, please make sure all these parts are attached so that the INSIDE label faces inside the crib.




③

4 Pcs



⑥

4 Pcs



⑤

2 Pcs


2-in-1 Convertible Crib DA7427B2

STEP 4

Insert barrel nuts (6) into the front rail (G) as shown below.


Attach front rail (G) to the left and right front posts (A1 & A2) with bolts (3) using Allen key (7).

Note: Do not fully tighten the bolts. Loose bolts will facilitate assembly in the following steps.



NOTE:



The front rail (G) is labeled "INSIDE". To ensure proper assembly, the front rail (G) must be attached to the side panels (D) so that the INSIDE label faces inside the crib.




2-in-1 Convertible Crib DA7427B2

STEP 5

Attach mattress support (H) to the posts (A1, A2, B1 and B2) with mattress support bolts (8) using Allen key (7).




DETAIL 1




NOTE: Tabs must always be above the mattress support when installed as shown in detail 1. Do not install the mattress support up side down where the 4 edges are above the wire mesh.

DETAIL 2 MULTIPLE POSITION HOLES FOR MATTRESS SUPPORT



NOTE: Please ensure that all the height adjustment holes are filled with appropriate bolts after the mattress support has been removed to the desired level. Make sure that these bolts are tightly secured. Number of mattress support position depends on crib's model.



CORRECT
"THIS SIDE UP"
label shows which
side to face
upward.



CORRECT
* Tabs on corners of
mattress support should
point up.



NOTE: The above photos and drawings showing how to properly attach the mattress support are for reference only. Crib styles and colors will vary.

2-in-1 Convertible Crib

DA7427B2


STEP 6


Insert wood dowels (5) into the left and right front post (A1 & A2).

Insert barrel nuts (6) into the front panel (F).

Attach front panel (F) to the front posts (A1 & A2) with bolts (3) and bolts (2) as shown.


Use Allen key (7) to tighten the bolts.





2-in-1 Convertible Crib

DA7427B2



WARNINGS:

- * **CAUTION-** ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27-1/4 INCHES BY 51-5/8 INCHES (69CM BY 131CM) WITH A THICKNESS NOT EXCEEDING 6 INCHES (15CM).
- * The day bed is not intended for children under 15 months of age or over 50 lbs (22.7 kgs).

DAY BED ASSEMBLY INSTRUCTION: STARTING FROM CRIB

- STEP1:** Detach front panel (F) from the left and right front post (A1 & A2) with Allen key (7).
- STEP 2:** If mattress support (H) is not in the lowest position, unscrew mattress support bolts (8) from posts (A1, A2, B1, B2) and move to the lowest position.
- STEP 3:** Ensure all bolts are tightly secured.

DAY BED ASSEMBLY: STARTING FROM SCRATCH

- STEP 1:** Follow steps 1 to 5 of the crib assembly instruction.
- STEP 2:** Follow steps 2 and 3 for the day bed assembly instruction located above (starting from crib).

2-in-1 Convertible Crib

DA7427B2



CAUTION: This unit is intended for use only with the products and/or maximum weights indicated. Use with other products and/or products heavier than the maximum weights indicated may result in instability or cause possible injury.

ANY MATTRESS USED IN THIS CRIB
MUST BE AT LEAST 27-1/4 INCHES
BY 51-5/8 INCHES (69CM BY 131CM)
WITH A THICKNESS NOT
EXCEEDING 6 INCHES (15CM).

Stop using crib when child begins to
climb out or reaches the height of 35
inches (89 cm).

Maximum weight not to exceed 50
pounds when used as a crib.

The DAY BED is not intended for
children under 15 months of age or
over 50 pounds (22.7 kgs).

Please remove all "INSIDE" labels after
crib assemble is completed.



That's it ! You've finished assembling your 2-in-1 Convertible Crib!

DO NOT RETURN PRODUCT TO THE STORE.

If a part is missing or damaged, contact our
customer service department. We will replace
the part **FREE** of charge.



Tel #: 1-800-295-1980
E-Mail: das@dorel.com
Fax #: 514-353-7819

Customer Service

PLEASE DO NOT RETURN THIS PRODUCT TO THE STORE

PLEASE CONTACT CUSTOMER SERVICE REPRESENTATIVES AT THE FOLLOWING NUMBERS SHOULD THERE BE ANY MISSING OR DEFECTIVE PART(S).

Customer Service Phone Number 1-800-295-1980	Email: das@dorel.com
Customer Service Fax Number 514-353-7819	

Request Date:

Name:

Shipping Address:

Street & Number:

City & State:

Zip Code:

Day Time Phone Number:

(including area code)

Date & Place of Purchase:

Part(s) description and quantity: (Please be sure to list model number or SKN number)