JACLYN SMITH™

OWNER'S MANUAL

5 PC Mahogany Dining Set

Caution: Read Owner's Manual Completely before Assembly and Use

Product code: 0-01847442-9

Model number: 07-1638-LY

UPC code: 753793976662

Date of purchase: _____ /_____ /_____

GENERAL INFORMATION, TIPS & TRICKS

1. Please read the assembly instructions prior to assembling this product.
2. To avoid damage, assemble the product on a non-abrasive surface such as carpet.
3. Make sure all cam locks, screws and bolts are tightly fastened before the product is used.
4. Not for Commercial Use.
5. Care: Wipe with a damp cloth. Use furniture polish or lemon oil on the wood as needed. Avoid prolonged exposure to moisture.
6. Estimated assembly time is an hour when 2 people are assembling.

Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts and cam locks. We recommend using two people for assembly.



A Phillips head screwdriver (not included) is necessary for assembly.

CUSTOMER SERVICE INFORMATION

If parts are missing, DO NOT return to the store. To order missing or replacement parts, please call 1-800-262-1852. All parts except for the tabletop are replaceable.

Linon Home Décor Products, Inc.,
22 Jericho Turnpike,
Mineola, NY 11501

Email: consumersupport@linon.com
Toll free number: 1-800-262-1852
9:00 AM to 5:00 PM EST, Mon. thru Fri.

PARTS LIST-TABLE

A. Table Top (Not Replaceable)	B. Table Leg
	
QTY: 1 pc	QTY: 4 pcs

HARDWARE LIST- TABLE

1. Nut	2. Flat Washer	3. Spring Washer
		
QTY: 8 pcs	QTY: 8 pcs	QTY: 8 pcs
4. Large Open-End Wrench		
QTY: 1 pc		

ASSEMBLY INSTRUCTIONS- TABLE

Diagram #1





1. Remove the plastic plugs protecting the bolts from the table legs (B) as shown in instruction (a)
2. Place table top (A) upside down on a non-abrasive surface such as carpet.
3. Attach four table legs (B) to the table top (A) using eight nuts (1), eight spring washers (3) and eight flat washers (2) as shown. Tighten

Diagram #2

4. Turn the table upright.
5. The table is now ready for use.

WARNING: Do not put hot plates directly on table surface.

PARTS LIST-CHAIR

C. Chair Back	D. Chair Right Front Leg	E. Chair Left Front Leg
QTY: 4 pcs	QTY: 4 pcs	QTY: 4 pcs
F. Chair Seat	G. Chair Seat Frame	H. Chair Right Side Crossbar
		
QTY: 4 pcs	QTY: 4 pcs	QTY: 4 pcs
I. Chair Left Side Crossbar	J. Chair Front Crossbar	
QTY: 4 pcs	QTY: 4 pcs	

HARDWARE LIST- CHAIR

1. Nut	2. Flat Washer	3. Spring Washer
		
QTY: 16 pcs	QTY: 44 pcs	QTY: 44 pcs
4. Large Open-End Wrench	5. Long Bolt	6. Short Bolt
QTY: 1 pc	QTY: 16 pcs	QTY: 12 pcs
7. Wood Screw	8. Small Open-end Wrench	
		
QTY: 48 pcs	QTY: 1 pc	

Diagram #3





1. Place chair back (C) on a non-abrasive surface such as carpet.
2. Attach chair seat frame (G) to the chair back (C) using three short bolts (6), four long bolts (5), seven spring washers (3) and seven flat washers (2) as shown. **Do not completely tighten the bolts at this step.**

Diagram #4





3. Remove the plastic plugs protecting the bolts from the front legs (D&E) as shown in picture (a). Attach chair side crossbars (H&I), chair front crossbar (J) and chair front legs (E&D) to the assembled portion by inserting the crossbars (H&I) into the holes on the chair back (A) and then attach front legs (E&D) and front crossbar (J) as shown in pictures (b), (c) and (d).
4. Secure the chair front legs (D&E) to the chair seat frame (G) using four nuts (1), four spring washers (3) and large flat washers (2) as pictured

Diagram #5

5. Turn the chair frame upright. Make sure the chair is level. Completely tighten all nuts with large open-end wrench (4) and tighten all bolts with small open-end wrench (8).

Diagram #6



Chair seats do not have predrilled holes as they attach with



6. Place chair seat (F) upside down on a non-abrasive table surface. The rear (tapered end) of the chair seat (F) should be near the table edge.

Hint: Protect the non-abrasive table surface and chair seat (F) by laying a towel between the chair seat and table surface.

7. Attach assembled chair frame to the chair seat (F). Secure using six wood screws (7) as shown in picture (a).
8. Secure the crossbars (H, I & J) to chair legs using six wood screws (7) as shown in picture (b).

Diagram #7

Turn the chair upright. The chair is now ready for use.

9. Repeat diagram #3 to #7 to assemble the remaining chairs.

Please refer to part numbers when reordering

For questions or comments about product:

Email: consumersupport@linon.com or Call toll-free: 1-800-262-1852

Made in / Hecho en VIETNAM, Distributed by Kmart Corporation, Hoffman Estates, IL 60179

See our extensive assortment of outdoor living products
on-line at www.sears.com and www.kmart.com