

SALAV

USER MANUAL

Please read all instructions
carefully before using
this product.

Garment Steamer

Model: GS06-DJ



www.salavusa.com

Dear Valued Customer

Thank you for purchasing this SALAV product. Please read this manual prior to using your SALAV appliance. For more product information, FAQ and customer support please visit our website at www.salavusa.com.

Important Safety Instructions:


1. The voltage of your electrical source must correspond to that of the appliance(110-120V~60Hz). Connecting to the incorrect voltage may cause unrepairable damage to the appliance and will invalidate the warranty.
2. Do not share the power supply with other high-powered electric appliances.
3. To reduce the risk of electric shock, do not immerse the appliance, plug, or power cord in water or other liquids.
4. Do not leave this appliance unattended while it is in operation.
5. Fill in water before using and observe the water level during use.
6. Do not lay hose on the ground. Do not wind hose. Do not operate the appliance if cord is damaged.
7. Always keep the hose and nozzle elevated above the water tank. Never insert any object into any opening or hose.
8. Do not cut or attempt to extend the steaming hose or power cord.
9. Do not place the nozzle directly on any surface or the appliance power cord while it is hot or plugged in.
10. Be cautious about steam spraying out from the nozzle. Do not direct steam at people or animals, or use steamer on garments while they are being worn.
11. Steam only in a vertical motion. Never use steamer in a horizontal position or tilt backwards - doing so may result in hot water discharge.
12. Move the appliance by firmly grasping the pole. Drain the water tank and water reservoir before moving.
13. Turn off, unplug and allow the appliance to cool completely for at least 30 minutes prior to draining the water tank and water reservoir and storing.
14. Always turn off and unplug unit before refilling, draining, cleaning, moving, or when not in use.
15. For indoor use only.
16. Keep the appliance away from flammable materials and chemicals.
17. Do not fill the water tank with hot water or corrosive cleaning agents which could cause damage. Distilled or filtered water is strongly recommended.
18. When in use, this appliance will spray hot steam from its steam nozzle. To avoid injury from hot steam, do not aim the steam nozzle at people or pets.
19. Only use SALAV accessories on your SALAV appliance. The use of accessory attachments other than those provided by SALAV may result in fire, electric or irreversible damage to the appliance.
20. This appliance is not intended for use by children or near children and other persons whose physical, sensory or mental capabilities or lack of experience and knowledge prevents them from using the appliance safely without supervision or instruction or instruction by a responsible person to ensure that can use the appliance safely.

Save the instructions for future reference

COMPONENTS



360° Swivel
Folding Hanger



Steam Hose &
Hose Connector



Water Tank with
Cap




Pole Connector
&
Telescopic
Pole



Fabric Brush




Pants Press



Drain Plug



Steam Nozzle




PRODUCT SPECIFICATION

Model	GS06-DJ
Water Tank Capacity	1.3L
Steam Output Time	45 seconds
Input Voltage	110 - 120V~60Hz
Output Power	1260 - 1500W

SETTING UP YOUR GARMENT STEAMER


STEP 1

Loosen the Pole Connector and insert the Telescopic Pole. Tighten Pole Connector to secure Telescopic Pole in place.




STEP 2

Attach the Folding Hanger to the top of the Telescopic Pole. Extend the Telescopic Pole to desired height and lock in place.




STEP 3

Install the Steam Hose and tighten the Hose Connector.



STEP 4


Fully extend Hanger Arms and hang the Steam Nozzle.



INSTRUCTIONS FOR USE


STEP 1

Remove the Cap. Fill the Water Tank.
Replace & tighten the Cap.




STEP 2

Plug in & Turn on.




STEP 3

Heats up in 45s.



STEP 4


Ready for steaming.



MAINTENANCE AND CLEANING


STEP 1

Turn off the unit and unplug it. Wait at least 30mins until the unit cools down completely.



STEP 2


Unscrew the Drain Plug and empty the water reservoir. Collapse and remove the Telescopic Pole & Steam Nozzle.



REMOVING MINERAL BUILD-UP


STEP 1

Turn off and unplug the unit and cool for at least 30mins. Remove water tank. Mix water & vinegar solution and pour into water reservoir.







STEP 2




Attention: Screw the Drain plug after the water reservoir is empty. Make sure the Drain Plug is screwed on before use.








ACCESSORIES ASSEMBLY AND USE










HOW TO STEAM






TROUBLE SHOOTING

Problems	Reason	Solution
Unit fails to steam. Indicating lamp does not illuminate 	The unit is not plugged in  Household power system problem /fuse is blown. 	Plug in the unit  Call a qualified electrician for help. 

Unit fails to steam Indicating lamp illuminates 	Mineral build-up  Water Tank is empty 	Follow the removal mineral build-up procedure.  50% Vinegar + 50% Water Refill the Water Tank
--	---	--

Noise in Steam Hose. Steam hose stops spraying steam  PO PO	Water drops gather in the Steam Hose  PO	 Straighten the Steam Hose
--	--	--

Steam is intermittent 	Mineral build-up in Water Tank 	Follow the removal mineral build-up procedure  50% Vinegar + 50% Water
---	--	--

Visit our website to find product tips, customer support and learn about
SALAV patented steam technology.
www.salavusa.com

