

essentialhome™



OWNER'S MANUAL

KENDALL DINING CHAIRS

Caution: Read owner's manual completely before assembly and use.

Product code: 0-08612933-5

UPC code: 729437125109

Date of purchase: ____/____/____

MAXIMUM RECOMMENDED WEIGHT CAPACITY


1. Chair-maximum load weight per chair is 300 pounds.

GENERAL INFORMATION & TIPS

1. Please read the assembly instructions prior to assembling this product.
2. To avoid damage, assemble this product on a non-abrasive surface such as carpet.
3. Make sure all bolts, nuts, and screws are tightly fastened before the product is used.
4. Not for commercial use.
5. Care: Wipe with a damp cloth. Use furniture polish or lemon oil on the wood as needed. Avoid prolonged exposure to moisture.

Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts, nuts, and screws. We recommend using two people for assembly.

1. Use the long end of the Allen wrench to fasten Allen bolts loosely and quickly.
2. Use the short end of the Allen wrench for final tightening.



! WARNING: After a few days of initial assembly and chairs have acclimated to their new environment, retighten all hardware. Periodically check and retighten the screws every few months.

CUSTOMER SERVICE INFORMATION


Ying Fu Enterprise Co., Ltd..

EMAIL: css@yingfu.biz








FAX: 1-855-258-5258

8:30 am to 5:00 pm CST, Mon. thru Fri.

PARTS LIST




A. Chair Back	B. Seat Frame	C. Chair Seat
		
QTY: 2 pcs	QTY: 2 pcs	QTY: 2 pcs
D. Chair Leg		
		
QTY: 4 pcs		

HARDWARE LIST

1. Flat Washer	2. Spring Washer	3. Wood Screw
		
QTY: 20 pcs	QTY: 20 pcs	QTY: 8 pcs
4. Long Bolt	5. Medium Bolt	6. Short Bolt
		
Dia 1/4 x 3 inch L	Dia 1/4 x 2-1/2 inch L	Dia 1/4 x 1-1/2 inch L
QTY: 8 pcs	QTY: 8 pc	QTY: 4 pc
7. Allen Wrench		
		
QTY: 1 pc		

ASSEMBLY INSTRUCTIONS

Diagram #1




Step 1

1. Attach Seat Frame (B) to Chair Back (A) using Short Bolt (6), Spring Washer (2) and Flat Washer (1) as shown in inset (a); using Long Bolt (4), Spring Washer (2) and Flat Washer (1) as shown in inset (b). Do not tighten the bolts at this step.

ASSEMBLY INSTRUCTIONS

Diagram #2





Step 2

2. Attach Front Legs (D) to the assembled unit from Step 1, using Medium bolt (5), Spring Washer (2) and Flat Washer (1) as shown in inset (a). Do not tighten the bolts at this step.
3. Turn the chair upright. Make sure the assembled chair is level and square. Tightly fasten all bolts with the Allen Wrench (7).

ASSEMBLY INSTRUCTIONS

Diagram #3



Step 3

4. Place Chair Seat (C) upside down on a non-abrasive table surface. The rear (tapered end) on the Seat Frame (B) should be near the table edge.

Hint: Protect the non-abrasive table surface and Chair Seat (C) by laying a towel in-between the chair seat and table.

5. Place the assembled Chair Frame on the Chair Seat (C) as shown. Attach with Wood Screw (3) as shown in inset (a) with Phillips head screwdriver (not provided).
6. Turn the chair upright. The chair is ready for use.
7. Repeat all the steps to assemble another chair.



Please refer to part numbers when reordering

For questions or comments about product:

Email: css@yingfu.biz

Made in / Hecho en VIETNAM. Distributed by Kmart Corporation, Hoffman Estates, IL 60179

SHOP kmart.com