

Use and Care Guide

Panorama 9pc Dining Set

Product Code: D71 M80259 KSN: 0-01331387-9 UPC Code: 0-5087429099-1

Date of Purchase: ___/ ___/

Thank you for your purchase!

We are pleased that you have chosen Sears for your outdoor furniture purchase. We hope that you enjoy the unmatched quality, comfort, and style of your new patio set. Every piece is meticulously considered all the way down to the smallest details, exclusively for you, by our world class design team. We know you have a choice when it comes to your patio furniture needs, so from our team to yours, thank you for letting us be a part of your outdoors.

Table of Contents

Table of Contents	2
Safety Information	3
Set UpYourFurniture Properly	3
Examine Your Furniture	3
Warranty	3
What is Covered	
What is Not Covered	
Care and Maintenance	5
Pre-Assembly	6
Planning Assembly	6
Hardware Included	6
Observe Weight Limits	6
Package Contents	7
Assembly Instructions	
Dining Chair	8
Swivel Rocker	
Dining Table	14

SET UP YOUR FURNITURE PROPERLY

Ensure that all parts are assembled properly and fully tightened as per the instructions. When placing in the desired location, ensure that all legs are resting on the same surface. You may adjust the footcaps as required to ensure that the item stands in a rigid position.

EXAMINE YOUR FURNITURE

Examine occasionally to ensure that there are no loose parts. If loose parts are found, they must be retightened fully before additional use.

Warranty

WHAT IS COVERED

We warrant the frame to be free of manufacturing defects to the original purchaser for seven years and the tabletop for one year.

WHAT IS NOT COVERED

It remains the customer's responsibility for freight and packaging charges to and from our service center. This warranty does not cover commercial use, acts of nature, fire, freezing, and abusive use. Discoloration or fading of the finish or fabrics as a result of chemicals or spills is not covered. Glass tabletop breakage and corrosion or rusting of hardware are not covered. In addition, purchased parts are not covered under this warranty. Proof of purchase (dated register receipt) is required for warranty claims. We reserve the right to make substitutions with similar merchandise, if the model is no longer in production. Warranty is to the original purchaser and is not transferable. As some states do not allow exclusions or limitations on an implied warranty, the above exclusions and limitations may not apply. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.

LIMITED WARRANTY

- Frames. Frame construction is warranted against defects in material and workmanship for seven years from purchase date. Damage to frames or welds resulting from improper assembly or exposure to water and/or sub-freezing temperatures is not covered.
- Finishes. Paint finishes are warranted against peeling, cracking and blistering for one year from purchase date provided the unit has not been scratched or abraded. Chips and scratches resulting from normal wear and tear are not covered.
- Fabrics. Fabric and cushions (if applicable) are warranted against separation at the seams for one year from purchase date. Fading and/or discoloration resulting from exposure to the elements, oils, spills, fluids, chemicals, or any other cause is not covered.

LIMITED WARRANTY-Continued

- Straps and/or wicker. Straps and/or wicker weave (if applicable) are warranted against separation and tearing for one year from purchase date. Fading and/or discoloration resulting from exposure to the elements, oils, spills, fluids, chemicals, or any other cause is not covered.
- Umbrellas. Umbrellas (if applicable) are warranted against defects in material and workmanship only for one year from purchase date. Umbrella bases (if applicable) are not covered under any circumstance.
- Table tops. Natural stone tabletops only are warranted against defects in materials or workmanship only for one year from purchase date. All other table tops (including without limitation glass and faux stone) are not covered under any circumstances.

Warranty limitations: This warranty is subject to the limitations set forth above. In addition, this warranty is made to the original purchaser only, and is effective only when item(s) is purchased from one of our authorized dealers. This warranty is not transferable. For warranty replacements based on warranty claims submitted within the first year of purchase, we will pay shipping and handling charges within the continental North America. After the first year, shipping and handling charges are your responsibility. We will not be responsible for charges associated with shipments outside the continental North America at any time or for any reason.

Warranty exclusions: This warranty is subject to the exclusions as set forth above. In addition, the following are excluded from coverage under this warranty: any item used for commercial, contract or any other non-residential purpose; clearance items, display models or items purchased "as is"; freight damage; items subject to misuse, abuse, neglect or lack of proper care and maintenance (including without limitation as provided in any "care and maintenance guide"); normal wear and tear; damage caused by acts of nature, acts of force majeure, vandalism, fire or other casualty, or improper assembly; hardware against corrosion or rusting; purchased or replacement parts; and all plastic parts. Also excluded are loss of use or time; inconvenience; money; travel; packaging; or incidental, special or consequential damages of any kind. Replacement of defective items as provided herein shall constitute your sole and exclusive remedy for items which are not as warranted. In no event shall our responsibility exceed the purchase price of the items found to be other than as warranted. This warranty is the exclusive statement of your rights with respect to the defects in the items you have purchased and supersedes any other express warranty or statement, written or oral, made in connection with the purchase and sale of such items. When used herein, the term "item" when used in the singular, refers to the specific item found to be defective, and not to the entire set of which the item is a part. Some states do not allow exclusion or limitation of incidental or consequential damages, so that limitation above may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Care and Maintenance

FRAMES

Cleaning - Use mild soap and warm water. Do not use abrasive materials, cleansers or bleach products. Rinse with clean water and dry thoroughly.

Maintenance - Periodically clean and dry thoroughly. Be sure to drain any water accumulated inside the frames. To thoroughly drain frames, remove foot caps and tilt the frames, if necessary, to remove all water. This is critical. Water allowed to accumulate inside the frames and then exposed to sub-freezing temperatures can cause damage to the frame tubing. Such damage is not covered under warranty. Always clean, drain and dry thoroughly before storing for the winter. For best results, always store or cover your furniture when not in use. We recommend commercially available outdoor furniture covers. Any small nicks or scratches can be covered with a light application of touch-up paint.

** When cleaning or moving large or heavy items, always have two people work together. Never drag furniture.

SPECIAL WARNINGS!!!

UMBRELLA USAGE WARNING!

Place the umbrella through the opening and into an umbrella stand weighing 20-50lbs or 9-22kgs. If your table is 72" or 182 cm or larger, we recommend a weight of at least 50 lbs or 22 kgs or more. NEVER USE AN UMBRELLA WITH A TABLE WITHOUT USING AN UMBRELLA BASE OR RING AS DESCRIBED ABOVE. ALWAYS REMOVE YOUR UMBRELLA FROM THE TABLE WHEN NOT IN USE. NEVER USE AN UMBRELLA DURING STORMS OR WINDY CONDITIONS.

Pre-Assembly

PLANNING ASSEMBLY

To prevent damage, place all parts on a soft surface during assembly. Remove all protective materials before beginning assembly. It takes about 45 minutes for two people to complete all the assembly.

OBSERVE WEIGHT LIMITS

The recommended weight limits for the following products are listed below:

Dining Chair : 250lbs Swivel Rocker : 250lbs

CAUTION: If you overload your 4 furniture, injuries can occur.


HARDWARE INCLUDED



NOTED:Hardware not shown to actual size.

BB CC DD Part Description Order Part QTY.									
Part	Description	Order Part	QTY.		Q	HEX BOLT DRIVER-3	HW0734	1	
D	1/4" X 18 MM BOLT	HW0035	8		R	HEX BOLT DRIVER-4	HW0007	2	
E	1/4" X 23 MM BOLT	HW0824	8		S	"L" METAL BRACKET	HW0623	4	
F	1/4" X 30 MM BOL	HW0817	8		Т	1/4" X 35 MM BOLT	HW0523	4	
G	1/4" X 45 MM BOL	HW0805	8		U	Ø6.5 X 1.6 MM SPRING WASHER	HW0443	16	
H	5/6" X 40 MM BOL	HW0807	8		V	1/4" NUT	HW0524	4	
	Ø8.0 X 2.3 MM	HW0003	8		W	TOUCH-UP PAINT	G0003	1	
J	SPRING WASHER "U" METAL PLATE	HW0618	4		Х	BOLT COVER	HW0022	8	
K	Ø6.5 X 1.0 MM	HW0188	24		Y	ROCKER PLATE FACTORY ASSEMBLY	G0008	4	
	WASHER Ø18 X 1.5 MM WASHER	HW0712	4		Z	COVER FACTORY ASSEMBLY	G0161	2	
	5/16" NUT	HW0015	8		AA	SLINGTUBECAP FACTORY ASSEMBLY	FC0358	12	
N	BOLT COVER	HW0028	16		BB	FOOT CAP-1 FACT OR YASSEMBLY	FC0363	4	
0	HEX BOLT DRIVER-1	HW00020	5		CC	FOOT CAP-2 FACT OR YASSEMBLY	FC0030	16	
Р	HEX BOLT DRIVER-2	HW0008	2		DD	FOOT CAP-3 FACT OR YASSEMBLY	FC0359	12	

Package Contents




В



PART	DESCRIPTION	ORDER PART	QUANTITY
A	SEAT FRAME	AN0466	1
В	SEAT BASE	AN0467	1

Safety Information




1. EVERY BOLT NEEDS TO BE USED WITH A WASHER.

2. DO NOT FULLY TIGHTEN BOLTS UNTIL INDICATED IN STEP 2.

Position the seat base.

□ Working from behind the chair, have another person stand in front of the chair and position the sling seat frame in between the arms of the seat base. So that the holes on both sides of the upper portion of the frame back align with the fixed nut holes in the seat base.



2Attach the seat frame to the seat base.

Working from the front of the chair, add a washer(K) to a bolt(G). From the underside of the front seat support bar, insert the bolt(G) with washer(K) through one of the holes in the chair base support bar, into the fixed nut inside the lower front portion of the seat frame. From behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair, insert a bolt(F) through the back arm portion of the seat base and into the fixed nut inside the lower from behind the chair.


fixed nut in the seat frame.

Make sure the bolt is inserted exactly straight.


Hand tighten 3-4 revolutions only.


Repeat for opposite side of chair.

□ Tighten bolts with all en wrench. Do not over tighten. Over tightening may strip bolts damaging the entire chair. Cover bolts(F) with bolt covers.



Package Contents






PART	DESCRIPTION	ORDER PART	QUANTITY
A	CHAIR FRAME	AR18949	1
В	SWIVEL BASE & ROCKER ASSEMBLY	AR18950	1

Β

Safety Information




1. EVERY BOLT NEEDS TO BE USED WITH A WASHER.

2. DO NOT FULLY TIGHTEN BOLTS UNTIL INDICATED IN STEP 2.

Positioning the chair frame

□ Place the swivel base (B) on a flat, solid surface.

Ensure the rocker portion (preassembled parts Y) of the swivel base (B) is positioned all the way into the swivel base (B). It may have shifted or vibrated out during shipment. Note the arrow labels on the "U" bar and the rocker assembly(Y). Also note the horseshoe shape of the assembled rocker plate (Y). Point the open end of the horseshoe away from you, so that the arrows on the rocker assembly (Y) point towards you. Set the chair frame (A) on the rocker assembly (Y) with the front of the seat facing you and the arrows on the "U" bar pointing on the rocker assembly (Y), all arrows on the "U" bar and rocker assembly (Y) will be pointing in the same direction.




2Attaching the chair frame to the chair base.




CAUTION: Failure to place the metal plates (J) above the "U' bar and below the rocker plates exactly as shown in the diagram will cause the bolt heads and nuts to damage the structure of the rocker plates. Damage due to over tightening of bolts or improper assembly could cause injury and may void your warranty.

Place a metal plate (J) on the topside of the "U" bar, aligning the holes in the metal plate (J) with the holes in the "U" bar. Guide two bolts (H) through the holes in the metal plate (J), through th hole in the "U" bar, through the hole in the rocker plate (Y), then through the holes in the metal plate. Finally, add a spring washers(I) and a nut (M) to the bottom of each bolt (H). Hand tighten the nuts (M) 3-4 revolutions only. Repeat the same procedure on the other side of the rocker assembly (J).


□ Tighten all nuts and bolts with the hex wrenches provided. Ensure bolts are fully tightened. Remove arrow labels from "U" bar and rocker assembly. Cover bolts with bolt covers.




Package Contents



PART	DESCRIPTION	ORDER PART	QUANTITY
А	NATURAL STONE TABLE TOP	AT51696	1
В	LEG CONNECTOR BRACKET	AT51697	1
С	TABLE LEG	AT51698	2





1. EVERY BOLT NEEDS TO BE USED WITH A WASHER.

2. DO NOT FULLY TIGHTEN BOLTS UNTIL INDICATED IN STEP 2.


Attach the leg connector backet to the leg.


□ Attach "L" metal backet to the leg. Add washers (K) and spring washers(U) to bolt(D).


 \Box Attach a leg to the leg connector braket. Add washers(K) and spring washers(U)

to bolt(E) and carefully guide the bolts through leg connector bracket and into the pre-drilled holes in the table leg(each leg uses fours bolts--two on each side).

Do not over tighten. Repeat on remaining leg.








2 Attaching the table top

- □ With the help of another person, carefully place the table top onto table base. After making any necessary adjustments to the alignment of the table top and the base, use the bolts(T) and washers(L) as shown in the diagram. Guide the bolt through the hole in the table leg, into the predrilled hole in the table top. Repeat for the other three sides.
- □ Use the hex bolt driver to tighten all bolts. We recommend working in a cross corner(X) fashion until all bolts are tight. Do not over tighten. Cover all bolts with covers.



Customer Service





CUSTOMER SERVICE DEPT: 1337 TAYLOR FARM ROAD, SUITE 100, VIRGINIA BEACH, VA 23453-3142 FAX: (757) 368-0576 CUSTOMER SERVICE NOT LINE:1-800-416-3511 SERVICE HOUSE: MONDAY-FRIDAY 9:00AM-5:00PM (EASTERN TIME) E-MAIL: customerservice@va-cs.com



Please refer to part numbers when reordering

For questions or comments about product: Email: www.agio-usa.com or Call toll-free: 1-800-416-3511

Made in / Hech en CHINA Distributed by Sears, Roebuck and Co., Hoffman Estates, IL 60179 sears.com See our extensive assortment of outdoor living products on-line at www.sears.com and www.kmart.com